




Couplings for *MF* Standard

Size			Thread Details			COUPLINGS FOR FIXED PLATE								
dash	mm	inch	Thread Type	Standard	Thread	Part Number	L1 (L1+ thread)		D1		HEX 1		Available for series	
							mm	inch	mm	inch	mm	inch		
04	6.3	1/4"	F BSPP	ISO 1179-1	BSPP 1/4" FEMALE	KIT2FNB14GAS F	57.9	2.3	26	1	24	0.9	P1004 - P10A - P12A - P1504 - P5065	
04	6.3	1/4"	O/ SAE	ISO 11926-1	9/16" - 18 UNF FEMALE ORB	KIT2FNB14-38SF	57.8	2.3	26	1	24	0.9	P1004 - P10A - P5065 - P10A	
04	6.3	1/4"	13/ SAE	ISO 8434-2	1/2" - 20 UNF 2A MALE JIC	KIT2FNB1413/DSF	68.9	2.7	26	1	24	0.9	P404	
06	10	3/8"	F NPTF	ANSI B1.20.3	NPTF 3/8" FEMALE	KIT2FNB38NPT F	72.7	2.9	30	1.2	27	1.1	P206 - P306 - P506 - P606 - PS06	
06	10	3/8"	O/ SAE	ISO 11926-1	9/16" - 18 UNF FEMALE ORB	KIT2FNB38-38SF	72.7	2.9	30	1.2	27	1.1	P206 - P306 - P506 - PB06	
06	10	3/8"	03/ METRIC	ISO 8434-1-S	M20x1.5 MALE	KIT2FNB38-3/20F	75.7	3	30	1.2	27	1.1	P506	
06	10	3/8"	02/ METRIC	ISO 8434-1-L	M18x1.5	KIT2FNB38-2/18F	72.5	2.9	30	1.2	27	1.1	P206 - P406A - P506 P5065 - P606 - PB06 - PS06	
06	10	3/8"	16/ BSPP	ISO 8434-6	60° 3/8 BSPP MALE	KIT2FNB3816/38F	80.8	3.2	30	1.2	27	1.1	P206 - P506 - P606 - PB06	
06	10	3/8"	16/ BSPP	ISO 8434-6	60° 1/2 BSPP MALE	KIT2FNB3816/12G	74.3	2.9	30	1.2	27	1.1	P306 - P506 - PB06	
06	10	3/8"	F NPTF	ANSI B1.20.3	NPTF 1/2" FEMALE	KIT2FNB38-12NF	75.5	3	30	1.2	27	1.1	P206 - P506 - P606 - PS06	
06	10	3/8"	11/ SAE	ISO 8434-3	13/16"-16 UN MALE ORFS	KIT2FNB3811/12S	81.7	3.2	30	1.2	27	1.1	P306 - P406 - P506 - PB06 - PS06	
06	10	3/8"	O/ SAE	ISO 11926-1	3/4" - 16 UNF FEMALE ORB	KIT2FNB38-12SF	74.3	2.9	30	1.2	27	1.1	P206 - P505 - P506 - P5065 - P5066 P5068 - P508 - P606 - PS06	
06	10	3/8"	F BSPP	ISO 1179-1	BSPP 1/2" FEMALE	KIT2FNB38-12GF	74.3	2.9	30	1.2	27	1.1	P206 - P306 - P506 - P5065 - P5066 P5068 - P606 - PB06 - PS06	
06	10	3/8"	F BSPP	ISO 1179-1	BSPP 3/8" FEMALE	KIT2FNB38GASF	72.5	2.9	30	1.2	27	1.1	P206 - P306 P506 - P5066 - P5068 P606 - PB06 - PS06 - P306	
06	10	3/8"	02/ METRIC	ISO 8434-1-L	M22x1.5 MALE	KIT2FNB38-2/22F	73.5	2.9	30	1.2	27	1.1	P206 - P506 - P606 - PB06 - P306 P506	
08	12.5	1/2"	F NPTF	ANSI B1.20.3	NPTF 1/2" FEMALE	KIT2FNB12NPT F	81	3.2	33	1.3	30	1.2	P208 - P306 - P508 - P510 - P608 P808 - PS08	
08	12.5	1/2"	O/ SAE	ISO 11926-1	1 - 1/16" - 12 UN FEMALE ORB	KIT2FNB12-34SF	88	3.5	38	1.5	34	1.3	P10A - P208 - P508 - P608 - P808 P10A	
08	12.5	1/2"	F BSPP	ISO 1179-1	BSPP 3/4" FEMALE	KIT2FNB12-34GF	84.2	3.3	38	1.5	34	1.3	P10A - P208 - P508 - P510 - P608 P808	
08	12.5	1/2"	03/ METRIC	ISO 8434-1-S	M24x1.5 MALE	KIT2FNB12-3/24F	86	3.4	33	1.3	30	1.2	P12A - P508 - P510 - P608 - P808 P510	
08	12.5	1/2"	02/ METRIC	ISO 8434-1-L	M22x1.5 MALE	KIT2FNB12-2/22F	84	3.3	33	1.3	30	1.2	P208 - P506 - P508 - P510 P608 - P808 - PS08	
08	12.5	1/2"	02/ METRIC	ISO 8434-1-L	M18x1.5 MALE	KIT2FNB12-2/18F	83	3.3	33	1.3	30	1.2	P508 - P608 - P808	
08	12.5	1/2"	O/ SAE	ISO 11926-1	3/4" - 16 UNF FEMALE ORB	KIT2FNB12-12SF	81	3.2	33	1.3	30	1.2	P10A - P12A - P208 - P306 - P506 P508 - P510 - P608 - P808	
08	12.5	1/2"	11/ SAE	ISO 8434-3	13/16"-16 UN MALE ORFS	KIT2FNB1211/12S	84.8	3.3	33	1.3	30	1.2	P208 - P506 - P508 - P608 - P808	
08	12.5	1/2"	F BSPP	ISO 1179-1	BSPP 1/2" FEMALE	KIT2FNB12GAS F	80.8	3.2	33	1.3	30	1.2	P10A - P12A - P208 - P306 - P506 P508 - P510 - P608 - P808 - PS08	
08	12.5	1/2"	F BSPP	ISO 1179-1	BSPP 1/2" FEMALE	KIT2FNB12G F2V*	81	3.2	33	1.3	30	1.2	P12A - P12B - P508	
12	20	3/4"	O/ SAE	ISO 11926-1	1 - 1/16" - 12 UN FEMALE ORB	KIT2FNB34-34SF	100.7	4	47	1.9	42	1.6	P510 - P412	
12	20	3/4"	F BSPP	ISO 1179-1	BSPP 1" FEMALE	KIT2FNB34-1GF	100.9	4	47	1.9	42	1.6	P510	
12	20	3/4"	F BSPP	ISO 1179-1	BSPP 3/4" FEMALE	KIT2FNB34GAS F	100.6	4	47	1.9	42	1.6	P510 - P412	
16	25	1"	F BSPP	ISO 1179-1	BSPP 1" FEMALE	KIT2FNB1 GAS F	99.9	3.9	55	2.2	50	2	P316	


* Couplings in Stainless Steel and seals in FKM.





Couplings for *MF* Standard

Size			Thread Details			COUPLINGS FOR MOBILE PLATE										
dash	mm	inch	Thread Type	Standard	Thread	Part Number	Pressure eliminator	L1 (L1+ thread) mm inch		HEX 1 mm inch		D3 mm inch		Available for series		
04	6.3	1/4"	F BSPP	ISO 1179-1	BSPP 1/4" FEMALE	KIT3FNP14GAS MS	YES	111.6	4.4	27	1.1	16.1	0.6	P10A - P5065		
04	6.3	1/4"	O/ SAE	ISO 11926-1	9/16"-18 UNF FEMALE ORB	KIT3FNP14-38SMC	YES	113.0	4.4	27	1.1	16.1	0.6	P5065		
04	6.3	1/4"	F BSPP	ISO 1179-1	BSPP 1/4" FEMALE	KIT2FNP14GAS M	NO	71.3	2.8	24	0.9	16.1	0.6	P1004 - P12A P1504 - P404		
04	6.3	1/4"	O/ SAE	ISO 11926-1	9/16" - 18 UNF FEMALE ORB	KIT2FNP14-38SM	NO	72.8	2.9	24	0.9	16.1	0.6	P1004 - P10A P404 - P5065		
04	6.3	1/4"	20/ BSPP	BS 5200	BSPP 3/8 FEMALE	KIT2FNP1420/38G	NO	76.6	3	24	0.9	16.1	0.6	P404		
06	10	3/8"	F BSPP	ISO 1179-1	BSPP 3/8" FEMALE	KIT3FNP38GAS M	YES	107.3	42.2	27	1.1	19.6	0.8	P206 - P306 - P506 P5066 - P5068 - P606 P506		
06	10	3/8"	O/ SAE	ISO 11926-1	9/16" - 18 UNF FEMALE ORB	KIT3FNP38-38SM	YES	108.3	4.3	27	1.1	19.6	0.8	P306 - P506		
06	10	3/8"	03/ METRIC	ISO 8434-1-S	M20x1.5 MALE	KIT3FNP38-3/20M	YES	108.5	4.3	27	1.1	19.6	0.8	P506		
06	10	3/8"	20/ BSPP	BS 5200	BSPP 1/2 FEMALE	KIT3FNP3820/12G	YES	117.4	4.6	27	1.1	19.6	0.8	P506 - PB06		
06	10	3/8"	02/ METRIC	ISO 8434-1-L	M22x1.5 MALE	KIT3FNP38-2/22M	YES	108.5	4.3	27	1.1	19.6	0.8	P206 - P506 - P506		
06	10	3/8"	O/ SAE	ISO 11926-1	3/4" - 16 UNF FEMALE ORB	KIT3FNP38-12SM	YES	108.4	4.3	27	1.1	19.6	0.8	P206 - P506 - P5065 P606 - PB06		
06	10	3/8"	F BSPP	ISO 1179-1	BSPP 1/2" FEMALE	KIT3FNP38-12GM	YES	108.3	4.3	27	1.1	19.6	0.8	P206 - P306 - P506 P5065 - P5068 - P606 PB06 - P506		
06	10	3/8"	11/ SAE	ISO 8434-3	13/16"-16 UN MALE ORFS	KIT3FNP3811/12S	YES	109.8	4.3	27	1.1	19.6	0.8	P306 - P506 - PB06		
06	10	3/8"	O/ SAE	ISO 11926-1	9/16" - 18 UNF FEMALE ORB	KIT2FNP38-38SM	NO	77.3	3	27	1.1	19.6	0.8	P206 - P506		
06	10	3/8"	03/ METRIC	ISO 8434-1-S	M20x1.5 MALE	KIT2FNP38-3/20M	NO	78.3	3.1	27	1.1	19.6	0.8	P506		
06	10	3/8"	20/ BSPP	BS 5200	BSPP 1/2 FEMALE	KIT2FNP3820/12G	NO	88.7	3.5	27	1.1	19.6	0.8	P506 - PB06 - P506 P5066		
06	10	3/8"	02/ METRIC	ISO 8434-1-L	M18x1.5 MALE	KIT2FNP38-2/18M	NO	78.45	3.1	27	1.1	19.6	0.8	P206 - P506 - P5065 P606 - P506		
06	10	3/8"	16/ BSPP	ISO 8434-6	60° 3/8 BSPP MALE	KIT2FNP3816/38G	NO	79.8	3.1	27	1.1	19.6	0.8	P506 - P606 - P506		
06	10	3/8"	O/ SAE	ISO 11926-1	3/4" - 16 UNF FEMALE ORB	KIT2FNP38-12SM	NO	81.3	3.2	27	1.1	19.6	0.8	P506 - P5066 - P5068 P606 - P606S - P506		
06	10	3/8"	F NPTF	ANSI B1.20.3	NPTF 1/2" FEMALE	KIT2FNP38-12NM	NO	81.3	3.2	27	1.1	19.6	0.8	P206 - P506 - P606 PB06 - PS06		
06	10	3/8"	11/ SAE	ISO 8434-3	13/16"-16 UN MALE ORFS	KIT2FNP3811/12S	NO	79.1	3.1	27	1.1	19.6	0.8	P306 - PS06		
06	10	3/8"	F BSPP	ISO 1179-1	BSPP 1/2" FEMALE	KIT2FNP38-12GM	NO	81.3	3.2	27	1.1	19.6	0.8	P206 - P306 - P506 P5066 - P5068 - P606 PB06 - PS06		
06	10	3/8"	F BSPP	ISO 1179-1	BSPP 3/8" FEMALE	KIT2FNP38GASM	NO	77.3	3	27	1.1	19.6	0.8	P206 - P306 - P506 P5066 - P5068 - P606 PB06 - PS06		
06	10	3/8"	02/ METRIC	ISO 8434-1-L	M22x1.5 MALE	KIT2FNP38-2/22M	NO	78.3	3.1	27	1.1	19.6	0.8	P206 - P506 - P606 PB06 - PS06		
06	10	3/8"	16/ BSPP	ISO 8434-6	60° 1/2" BSPP MALE	KIT2FNP3816/12G	NO	80.3	3.2	27	1.1	19.6	0.8	P306		
08	12.5	1/2"	F BSPP	ISO 1179-1	BSPP 1/2" FEMALE	KIT3FNP12GAS M	YES	121.1	4.8	34	1.3	24.9	1.0	P208 - P506		
08	12.5	1/2"	O/ SAE	ISO 11926-1	1 - 1/16" - 12 UN FEMALE ORB	KIT3FNP12-34SM	YES	122.7	4.8	34	1.3	24.9	1.0	P10A - P208		
08	12.5	1/2"	02/ METRIC	ISO 8434-1-L	M22x1.5 MALE	KIT3FNP12-2/22M	YES	119	4.7	34	1.3	24.9	1.0	P508 - P608 - P808		
08	12.5	1/2"	O/ SAE	ISO 11926-1	3/4" - 16 UNF FEMALE ORB	KIT3FNP12-12SM	YES	120.7	4.6	34	1.3	24.9	1.0	P10A - P12A - P208 P306 - P506 - P508 P808		
08	12.5	1/2"	11/ SAE	ISO 8434-3	13/16"-16 UN MALE ORFS	KIT3FNP1211/12S	YES	119.7	4.7	34	1.3	24.9	1.0	P208 - P506 - P508 P608 - P808		
08	12.5	1/2"	F NPTF	ANSI B1.20.3	NPTF 1/2" FEMALE	KIT2FNP12NPT M	NO	87	3.4	32	1.2	24.9	1.0	P510		
08	12.5	1/2"	O/ SAE	ISO 11926-1	1 - 1/16" - 12 UN FEMALE ORB	KIT2FNP12-34SM	NO	92	3.6	34	1.3	24.9	1.0	P10A - P208 - P508 P608 - P808		
08	12.5	1/2"	F BSPP	ISO 1179-1	BSPP 3/4" FEMALE	KIT2FNP12-34GM	NO	92	3.6	34	1.3	24.9	1.0	P10A - P208 - P508 P510 - P608 - P808		



Couplings for MF Standard

Size			Thread Details			COUPLINGS FOR MOBILE PLATE									
dash	mm	inch	Thread Type	Standard	Thread	Part Number	Pressure eliminator	L1 (L1+ thread)		D3		HEX 1		Available for series	
								mm	inch	mm	inch	mm	inch		
08	12.5	1/2"	03/ METRIC	ISO 8434-1-S	M24x1.5 MALE	KIT2FNP12-3/24M	NO	87.7	3.5	32	1.2	24.9	1.0	P12A - P508 - P510 P608	
08	12.5	1/2"	02/ METRIC	ISO 8434-1-L	M22x1.5 MALE	KIT2FNP12-2/22M	NO	85.7	3.4	32	1.2	24.9	1.0	P208 - P506 - P508 P510 - P608 - P808 P508 - P506	
08	12.5	1/2"	02/ METRIC	ISO 8434-1-L	M18x1.5 MALE	KIT2FNP12-2/18M	NO	109.5	4.3	32	1.2	24.9	1.0	P208 - P508	
08	12.5	1/2"	0/ SAE	ISO 11926-1	3/4" - 16 UNF FEMALE ORB	KIT2FNP12-12SM	NO	87	3.4	32	1.2	24.9	1.0	P12A - P208 - P508 P510 - P608 - P808	
08	12.5	1/2"	11/ SAE	ISO 8434-3	13/16"-16 UN MALE ORFS	KIT2FNP1211/12S	NO	86.7	3.4	32	1.2	24.9	1.0	P208 - P508 - P608 P808 - P608	
08	12.5	1/2"	F BSPP	ISO 1179-1	BSPP 1/2" FEMALE	KIT2FNP12GAS M	NO	87	3.4	32	1.2	24.9	1.0	P12A - P208 - P506 P508 - P510 - P608 P808 - PS08	
08	12.5	1/2"	F BSPP	ISO 1179-1	BSPP 1/2" FEMALE	KIT2FNP12G M2V*	NO	90	3.5	32	1.2	24.9	1.0	P12A - P12B - P508	
12	20	3/4"	F BSPP	ISO 1179-1	BSPP 3/4" FEMALE	KIT3FNP34GAS M	YES	132.85	5.2	42	1.6	29.9	1.2	P412 - P510	
12	20	3/4"	0/ SAE	ISO 11926-1	1 - 1/16" - 12 UN FEMALE ORB	KIT3FNP34-34SM	YES	132.9	5.2	42	1.6	29.9	1.2	P412 - P510	
12	20	3/4"	F BSPP	ISO 1179-1	BSPP 3/4" FEMALE	KIT2FNP34GAS M	NO	106.5	4.2	41	1.6	29.9	1.2	P510	
12	20	3/4"	0/ SAE	ISO 11926-1	1 - 1/16" - 12 UN FEMALE ORB	KIT2FNP34-34SM	NO	104.9	41.3	41	1.6	29.9	1.2	P510	
16	25	1"	F BSPP	ISO 1179-1	BSPP 1" FEMALE	KIT3FNP1 GAS M	YES	146.7	5.8	50	2	36	1.4	P316	

* Couplings in Stainless Steel and seals in FKM.

