



① Type of Installation

Please select the type of installation (e.g. Weld Plates, Rail Nuts etc.) and add the corresponding **Code** to position ① of the order code for your clamp assembly.



Without Installation Equipment
Code: **none**

Installation on Weld Plate



Single Weld Plate
Code: **SP**



Elongated Weld Plate
Code: **SPV**



Twin Weld Plate (for STAUFF Group 1 to 6 only)
Code: **DSP**



Group Weld Plate (for STAUFF Group 1 to 6 only)
Code: **RAP**



Angled Weld Plate (for STAUFF Group 1 to 6 only)
Code: **WSP**



Bridge Weld Plate (for STAUFF Group 1A to 6 only)
Code: **BSP**

Installation on Mounting / Channel Rail



Hexagon Rail Nut
Code: **SM**



Channel Rail Adaptor
Code: **CRA**

② Group Size & Diameter

Please select the required group size and diameter and add the corresponding **Code** to position ② of the order code for your clamp assembly.

Group	Outside Diameter	Availability of Clamp			Code
		STAUFF (DIN)	P / T / H (mm)	Body Materials & Designs Profiled Design Type H Type RI	
1 (0)	6		●	○	106
	6,4		●	○	106.4
	8		●	○	108
	9,5		●	○	109.5
	10		●	○	110
1A (1)	12		●	○	112
	6		●	○	106A
	6,4		●	○	106.4A
	8		●	○	108A
	9,5		●	○	109.5A
2 (2)	10		●	○	110A
	12		●	○	112A
	12,7		●	○	212.7
	13,5		●	○	213.5
	14		●	○	214
3 (3)	15		●	○	215
	16		●	○	216
	17,2		●	○	217.2
	18		●	○	218
	19		●	○	319
4 (4)	20		●	○	320
	21,3		●	○	321.3
	22		●	○	322
	25		●	○	325
	25,4		●	○	325.4
5 (5)	6		○	●	406
	8		○	●	408
	10		○	●	410
	12		○	●	412
	12,7		○	●	412.7
	14		○	●	414
	15		○	●	415
	16		○	●	416
	17,2		○	●	417.2
	18		○	●	418
	19		○	●	419
	26,9		●	○	426.9
	28		●	○	428
	28,6		●	○	428.6
	30		●	○	430
	32		●	○	432

Group	Outside Diameter	Availability of Clamp			Code
		STAUFF (DIN)	P / T / H (mm)	Body Materials & Designs Profiled Design Type H Type RI	
5 (5)	32		●	○	532
	33,7		●	○	533.7
	35		●	○	535
	38		●	○	538
	40		●	○	540
	41,3		●	○	541.3
	42		●	○	542
	20		○	●	620
	21,3		○	●	621.3
	22		○	●	622
6 (6)	25		○	●	625
	26,9		○	●	626.9
	28		○	●	628
	30		○	●	630
	32		○	●	632
	44,5		●	○	644.5
	48,3		●	○	648.3
	50,8		●	○	650.8
	54		●	○	654
	57,2		●	○	757.2
7 (7)	60,3		●	○	760.3
	63,5		●	○	763.5
	70		●	○	770
	73		●	○	773
	76,1		●	○	776.1
8 (8)	88,9		●	○	888.9
	102		●	○	8102L

● Standard Option

Please see pages 34 and 35 with detailed order examples for some of the most popular Standard Series clamp assemblies.

③ Clamp Body Design & Material

Please select the design and material of your clamp body and add the corresponding **Code** to position ③ of the order code for your clamp assembly.

Please check the availability of the selected clamp body design and material according to the matrix table in ②.

Profiled Design



Polypropylene
Code: **PP**



Polypropylene (Colour: Black)
Code: **PP-BK**



Polyamide
Code: **PA**



Thermoplastic Elastomer (87 Shore-A)
Code: **SA87**



Aluminium
Code: **AL** (for STAUFF Group 1A to 6 only)

Type H (Smooth)



Polypropylene
Code: **PP-H**



Polypropylene (Colour: Black)
Code: **PP-H-BK**



Polyamide
Code: **PA-H**



Thermoplastic Elastomer (87 Shore-A)
Code: **SA87-H**

Type RI (with Elastomer Insert)



Polypropylene
Code: **PP-R** (for STAUFF Group 4 and 6 only)



Polyamide
Code: **PA-R** (for STAUFF Group 4 and 6 only)

See pages 178 / 179 for material properties and technical information.

Please contact STAUFF for further details on fire-proof clamp body materials, tested and approved according to several international fire-protection standards.

④ Mounting & Fitting Combination

Please select the mounting and fitting combination (e.g. bolts, screws, cover plates etc.) and add the corresponding **Code** to position ④ of the order code for your clamp assembly.

Installation with Cover Plate and Bolts

Cover Plate DP with
Hexagon Head Bolts AS
Code: **DP-AS**

Cover Plate DP with
Socket Cap Screws IS*
Code: **DP-IS**

Installation with Locking Plate and Bolts

Safety Locking Plate SIG with
Stacking Bolts AF
Code: **SIG-AF**

Installation with Inserts and Bolts

Inserts EP (Plastic) with
Hexagon Head Bolts AS
Code: **EP-AS**

Inserts ES (Steel) with
Hexagon Head Bolts AS
Code: **ES-AS**

Installation with Bolts only

Socket Cap Screws IS (Washers US included)
Code: **IS**

Slotted Head Screws LI (Washers US included)
Code: **LI** (for STAUFF Group 1 to 6 only)

* Special lengths of Socket Cap Screws IS required. For exact lengths, please see details of Hexagon Head Bolt, type AS (for use with Cover Plates DP) on page 28.

⑤ Thread Type

Please select the required thread type and add the corresponding **Code** to position ⑤ of the order code for your clamp assembly.

Metric ISO thread
Code: **M**

Unified coarse (UNC) thread
Code: **U**

All threaded parts are available with Metric ISO thread or unified coarse (UNC) thread according to dimension table.

⑥ Material & Surface Finishing

Please select the required material & surface finishing of the metal parts and add the corresponding **Code** to position ⑥ of the order code for your clamp assembly.

Metal parts made of Carbon Steel, zinc/nickel-plated **W3**

Metal parts made of Stainless Steel V2A
1.4301 / 1.4305 (AISI 304 / 303) **W4**

Metal parts made of Stainless Steel V4A
1.4401 / 1.4571 (AISI 316 / 316 Ti) **W5**

Weld Plate made of Carbon Steel, phosphated; Other metal parts made of Carbon Steel, zinc/nickel-plated **W10**

Individual combinations of alternative materials and surface finishings are available upon request. Contact STAUFF for further information.

⑦ Assembling & Kitting

If required, please select an additional assembling and kitting option and add the corresponding **Code** to the last position of the order code for your clamp assembly.

Components supplied separately
Code: **none** (standard option)

Components assembled
Code: **A** (special option)

Components packed in kits
Code: **K** (special option)