

Description

Item No.

Lube-Shuttle® Side-Lever Grease-Gun
galvanized

version either without accessories or with rigid tube E4024, 300 mm high pressure nylon hose PH-30C or 300 mm high pressure safety rubber hose RH-30C



without accessories, M10x1 30 020 60

without accessories, R1/8" 30 010 70

with rigid tube E4024, M10x1 30 120 90

with rigid tube E4024, R1/8" 30 110 00

with nylon hose PH-30C, M10x1 30 320 50

with nylon hose PH-30C, R1/8" 30 310 60

with safety rubber hose RH-30C, M10x1 30 220 20

with safety rubber hose RH-30C, R1/8" 30 210 30



For more information on our range of hoses please see pages 30, 31

Lube-Shuttle® Side-Lever Grease-Gun
silver painted

version either without accessories or with rigid tube E4024, 300 mm high pressure nylon hose PH-30C or 300 mm high pressure safety rubber hose RH-30C



without accessories, M10x1 30 026 02

without accessories, R1/8" 30 016 05

with rigid tube E4024, M10x1 30 126 49

with rigid tube E4024, R1/8" 30 119 01

with nylon hose PH-30C, M10x1 30 326 09

with nylon hose PH-30C, R1/8" 30 316 02

with safety rubber hose RH-30C, M10x1 30 229 07

with safety rubber hose RH-30C, R1/8" 30 219 00



Lube-Shuttle® Promo-Set

in display-carton, includes galvanized Lube-Shuttle® side-lever grease-gun, either with rigid tube E4024, nylon hose PH-30C or high pressure safety rubber hose RH-30C, each with 4-jaw hydraulic safety coupler, and two Lube-Shuttle® cartridges MULTI basic 2M

with rigid tube E4024, M10x1 30 112 39

with rigid tube E4024, R1/8" 30 112 22

with nylon hose PH-30C, M10x1 30 112 91

with nylon hose PH-30C, R1/8" 30 112 77

with safety rubber hose RH-30C, M10x1 30 113 38

with safety rubber hose RH-30C, R1/8" 30 113 21



Description

Item No.

Lube-Shuttle® System TG One-Hand Grease Gun
verzinkt

One-hand grease-gun with galvanized steel barrel for für Lube-Shuttle® cartridges, ergonomically engineered heavy-duty design, delivery rigid tube can be fitted either horizontally or vertically, thereby ensuring optimal access to even difficult to reach lubrication spots! VPacked in environmentally friendly display carton with user instructions and safety advice. Pressure capability of approx. 300 bar (4.350 psi). All details of features and advantages of the Lube-Shuttle® grease gun system remains.

Version either without accessories or with rigid steel tube, 300 mm high pressure nylon hose PH-30C or 300 mm high pressure safety rubber hose RH-30C.



without accessories, M10x1 **30 060 20**

without accessories, R1/8" **30 050 30**

with rigid tube, M10x1 **30 160 50**

with rigid tube, R1/8" **30 150 60**

with nylon hose PH-30C, M10x1 **30 360 10**

with nylon hose PH-30C, R1/8" **30 350 20**

with safety rubber hose RH-30C, M10x1 **30 260 80**

with safety rubber hose RH-30C, R1/8" **30 250 90**



For more information on our range of hoses please see pages 30, 31

Lube-Shuttle® TG One-Hand Grease Gun Promo-Set

in display-carton, includes Lube-Shuttle® TG one-hand grease gun, either with rigid steel tube E4024, nylon hose or high pressure safety rubber hose, each with 4-jaw hydraulic safety coupler, and two Lube-Shuttle® cartridges MULTI basic 2M

with rigid tube, M10x1 **30 116 42**

with rigid tube, R1/8" **30 116 59**

with nylon hose PH-30C, M10x1 **30 117 03**

with nylon hose PH-30C, R1/8" **30 117 10**

with safety rubber hose RH-30C, M10x1 **30 118 02**

with safety rubber hose RH-30C, R1/8" **30 118 19**



Description

Item No.

Lube-Shuttle® Lubrication Kit

includes Lube-Shuttle® side-lever grease gun with special connector, rigid steel tube E4024 with swivel nut for easy and safe screw-on to the grease gun, safety rubber hose RH-30C with 4-jaw hydraulic coupler, rigid tube with slide-on connector SK16 rigid tube for driveshaft F4020, each with snap-on coupling, conical and universal connector. **All parts safely stored in carry-along case.**

Lube-Shuttle® Lubrication Kit

30 333 30

Lube-Shuttle® Grease Spray Unit LubeJet-eco

This air operated grease spray unit enables the spraying of grease directly from the Lube-Shuttle® cartridge without the need for propellants or chemical additives, such as solvents. Spraying grease on to chains, wire ropes, open gears, slideways, telescopic booms etc. offers enormous potential for cost savings. Eliminates wasteful consumption of grease in surface coating, offers wide range of applications.

Lube-Shuttle® Grease Spray Unit LubeJet-eco

33 780 80

Spray Lances Set for Lube-Shuttle® LubeJet-eco

Spray lances set for LubeJet-eco with safety quick-coupler incl. three straight spraying lances 500/750 and 1200 mm and one bent lance 170/55 mm. Lances are made of stainless steel (1.4301) 8mm

Spray Lances Set for Lube-Shuttle® LubeJet-eco

33 782 95

Lube-Shuttle® Air Operated Grease Gun DF-LS

One-hand air operated grease gun for Lube-Shuttle® cartridges, designed for grease up to NLGI class 3, single shot system, output approx. 1 cc per stroke, pressure ratio 1:60, max. pressure 480 bar (6.950 psi), air pressure 3 to 8 bar

with rigid tube E4024, M10x1

30 371 16

with rigid tube E4024, R1/8"

30 371 09

with safety rubber hose RH-30C, M10x1

30 373 14

with safety rubber hose RH-30C, R1/8"

30 373 07

Lube-Shuttle® Dispenser Lube-Shot 400

Designed to apply grease to all open surfaces, such as uncaged roller bearings. The dispenser will replace traditional, messy methods of application with open cartridges and brushes. The use of this dispenser will permit clean and uncontaminated greasing of open bearings. Lube-Shot 400 with nozzle, screw cap and an adapter nozzle for the Lube-Shuttle® cartridge.

Lube-Shuttle® Dispenser Lube-Shot 400

30 001 10

Lube-Shot 400 Nozzle-Set

Nozzle with closure cap for the Lube-Shuttle® cartridge

Lube-Shot 400 Nozzle-Set

30 009 05

