

ACCESSORIES FOR OIL PUMPS

P/N OE38046

Bung adaptor ø 32 mm, with double body for pumps with suction tube, Series 500

P/N OE33434

Bung adaptor ø 34 mm, with double body for pumps with suction tube, Series 600

P/N OE38042

Bung adaptor ø 42 mm, with double body for pumps with suction tube, Series 600 e 650

P/N OE38044

Bung adaptor ø 38 mm, with double body for manual double acting oil pumps


P/N OE38051

Bung adaptor ø 50 mm, for pumps with suction tube, Series 500

P/N OE10/14

Bung adaptor ø 45 mm, for industrial pumps with suction tube, Series 900 and 1200

P/N OE10/15

Bung adaptor ø 53 mm, for industrial pumps with suction tube, Series 900 and 1200


P/N OE38047

Wall bracket ø 32 mm, with double body for wall-mounting of pumps, Series 500

P/N OE38043

Wall bracket ø 42 mm, with double body for wall-mounting of pumps, Series 600 and 650


P/N OE38052

Wall bracket ø 50 mm, with clamping system with screw for wall-mounting of pumps, Series 500


P/N OE33115

Wall bracket in steel for wall-mounting of transfer pumps, Series 600 and 650


P/N OE33590

Wall bracket in painted steel for wall-mounting of diaphragm pumps 1/2" and 3/4"

P/N OE33591

Wall bracket in painted steel for wall-mounting of diaphragm pumps 1" and 1.1/4"

ACCESSORIES FOR OIL PUMPS



P/N OE10/10

Wall bracket in painted steel for wall-mounting of integral and flanged industrial pumps, Series 900 and 1200



P/N OE10/11

Wall bracket in painted steel with dampers for wall-mounting of integral and flanged industrial pumps, Series 900 and 1200



P/N OE38099 *

System overpressure control valve ▶ F1/2"G x F1/2"G
▶ calibration 5 - 50 bar

P/N OE38100 *

System overpressure control valve ▶ F3/4"G x F3/4"G
▶ calibration 5 - 50 bar



P/N OE38095 *

"Y" filter in line ▶ F/F 1/2"G for fitting on the outlet of pumps for oil and allied products, max pressure 100 bar

P/N OE38096 *

"Y" filter in line ▶ F/F 1"G for fitting on the outlet of pumps for oil and allied products, max pressure 100 bar



P/N OE33126 *

Female quick connector, ▶ thread F 3/4"G



P/N OE33127 *

Male quick connector, ▶ thread F 3/4"G

* Articles not manufactured by ECODORA



ACCESSORIES FOR OIL PUMPS	
P/N OE33106	Nipple M 3/4"NPT x F 3/4"G
P/N OE33107	Nipple M 3/4"G x F 1"NPT
P/N OE33108	Nipple M 1"G x F 3/4"NPT
P/N OE33109	Nipple M 1"G x F 1"NPT
P/N OE38075	Nipple M 1/2"G x F 1/2"NPT
P/N OE38076	Nipple M 1/2"NPT x F 1/2"G
P/N OE38077	Nipple M 3/8"NPT x F 3/8"G
P/N OE38078	Nipple M 3/8"G x F 3/8"NPT
P/N OE38079	Nipple M 1/2"NPT x M 3/8"NPT
P/N OE33111	Nipple M 1.1/4"G x F 1.1/4"NPT
P/N OE33112	Nipple M 3/4"G x F 3/4"NPT
P/N OE33113	Nipple M 1/2"G x F 3/4"NPT



P/N OE38120	Nipple stainless steel AISI 304 M 1/2"G x M 3/8"G
P/N OE38121	Nipple stainless steel AISI 304 M 1/2"G x M 1/2"G



P/N OE38071	Nipple M 1/2"G x M 1/2"G (tapered/cylindrical thread)
P/N OE38072	Nipple M 1/2"G x M 3/8"G (cylindrical/cylindrical thread)
P/N OE38073	Nipple M 3/8"G x M 3/8"G (tapered/cylindrical thread)
P/N OE33114	Nipple M 1"G x M 1/2"G (cylindrical/cylindrical thread)
P/N OE33116	Nipple M 1"G x M 1"G (cylindrical/cylindrical thread)
P/N OE33117	Nipple M 3/4"G x M 3/4"G (cylindrical/cylindrical thread)
P/N OE33118	Nipple M 1/2"G x M 3/4"G (cylindrical/cylindrical thread)
P/N OE33119	Nipple M 1"G x M 3/4"G (cylindrical/cylindrical thread)
P/N OE33275	Nipple M 1/2"G x F 3/4"G (cylindrical/cylindrical thread)
P/N OE33276	Nipple M 3/4"G x F 1"G (cylindrical/cylindrical thread)
P/N OE33277	Nipple M 3/4"G x F 1/2"G (cylindrical/cylindrical thread)




FLOW REGULATOR CHAMBER


P/N OE38097
Flow regulator chamber F 3/4"G x F 3/4"G equipped with:
 ▶ one-way valve eliminates sudden pressure changes, ensuring a regular flow
 ▶ suitable for R 1:1 - 3:1 - 5:1 pumps ▶ max pressure 100 bar

P/N OE38098
Flow regulator chamber F 3/4"G x F 3/4"G with air tank equipped with:
 ▶ one-way valve eliminates sudden pressure changes, ensuring a regular flow
 ▶ suitable for pumps till R 20:1 ▶ max pressure 100 bar


For best performance (P/N OE38098) the pressure in the air reservoir must be equal to pump air feeding pressure



PRESSURE TREND OF OIL PUMP OUTLET



with pump R 3:1 - 8 bar
 ● without chamber P/N OE38098
 ● with chamber P/N OE38098



with pump R 3:1 - 8 bar
 ● without chamber P/N OE38097
 ● with chamber P/N OE38097