


SAE 6000 PSI Retain Ring Flange with Clearance Holes

SAE J518 Code 62 (ISO 6162-2)



RFAC64 – Retain Ring Flange with Clearance Holes, for Grooved NPS Pipe Only

Size	Pipe Size	Standard Part Number	Working Pressure PSI (Bar)	Weight lbs (kg)
1-1/2"	1 1/2" SCHXXS	RFAC64-150-*	6000 (420)	3.14 (1.43)
2"	2" SCH160/XXS	RFAC64-200-*	6000 (420)	4.82 (2.19)

RFC64 - Retain Ring Flange with Clearance Holes, Metric

Size	Pipe Size OD x Wall	Standard Part Number	Working Pressure PSI (Bar)	Weight lbs (kg)
1/2"	26X6.0	RFC64-050-*	6000 (420)	0.43 (0.20)
3/4"	36X8.0	RFC64-075-*	6000 (420)	0.83 (0.38)
1"	39X7.5	RFC64-100-*	6000 (420)	1.16 (0.51)
1-1/4"	46X8.0	RFC64-125-*	6000 (420)	1.86 (0.85)
1-1/4" ⁽²⁾	46X8.0	RFC64-125-M14-*	6000 (420)	1.86 (0.85)
1-1/2"	56X8.5	RFC64-150-*	6000 (420)	3.14 (1.43)
2"	66X8.5	RFC64-200-*	6000 (420)	4.82 (2.19)

*** Materials:**

Standard, No Designation = Carbon Steel, Zinc Nickel Plated.

HDG = Carbon Steel, Hot Dip Galvanized.

SS = Stainless Steel, Type 316.

(2) Designates M14 Bolt – Special Order

Ordering Example: RFAC64-200-SS

* Insert Material _____