Multifaster product training

V01.2017

Multifaster




Market reference to connect multiple lines


- In the '90s Faster launches this concept on the market and soon sets the reference
- Product evolution in terms of different combination of elements, such as number of lines, levers, electrical connectors...




Multifaster – how it is composed



Multifaster – general nomenclature rules





Main application: front loaders

Usually 4 lines (attachments with 2 functions) or 6 lines (attachments with 3 functions). Multifaster is used mostly for this application.







Main application: front loaders

Some examples













Multifaster for Harvester / Combine

Usually 5 lines for these functions:

- Reel Extend
- Reel Retract
- Reel Drive Forward
- Reel Drive Reverse
- _ Lift







Application: Harvester / Combine

Some examples








Multifaster for heavy duty applications

PH series

- Special for high pressure applications (46 Mpa)
- Suitable to impulse pressure applications

High resistance to severe conditions and dirty environment



Applications: AG)



CE

- Demolition machines
- Grapple cranes
- Heavy duty cranes
- Trailers
 - Other special

applications

The range

PH series – the range

- PH406 (4 hydraulic lines 3/8")
- PH 408 (4 " " 1/2")
- PH 510 (2 " 1/2" + 2 lines 3/4")









Note: this item is not interchangeable with the equivalent Multifaster series

Applications:



CE

- Demolition machines
- Grapple cranes
- Heavy duty cranes
- **Trailers**
- Other special applications

