

Features:



**MATO Accu-Greaser –**

Your reliable partner for professional lubrication applications

Our compact battery operated grease gun is powered by the high-performance AMPShare batteries from BOSCH, which are freely available on the market. AMPShare batteries are fully compatible with all tools within the cross-brand alliance, including the entire Bosch Professional 18 V system. The Accu-Greaser is compatible with all standard cartridges available on the market.

**Further product information**

- max. delivery rate approx. 120 cc/min
- battery level display integrated in battery pack
- for 400 g cartridges or 500 g bulk fill, adapter for use of 500 g screw-cap cartridges available
- easy cartridge change: compatible with both DIN 1283 and Lube-Shuttle® cartridges without the need for additional adapters
- dual overload protection (thermal & electrical)
- 750 mm high pressure safety rubber hose with steel wire braide, b.p. 1.650 bar (23.900 psi), ø-13 mm with 4-jaw hydraulic safety coupler
- carry-along case with cavities for spare battery and spare cartridge

**Accessories**

- AMPShare Li-Ion battery GBA 18 V - 2.0 Ah
- AMPShare Li-Ion battery GBA 18 V - 4.0 Ah
- AMPShare-charger GAL 18 V-40 with overload protection 220-240 V AC / 50-60 Hz  
On/Off LED control lamp, 2 m mains power cable with 2-pin EU flat-plug (versions with connection UK /US/AUS upon request)
- shoulder strap with safe fastening to the battery grease gun, for comfortable and fatigue-free working
- cartridge adapter for use of 500 g screw-cap cartridges



Powered by



## Product lines:

### Basic

The Basic-Line is equipped without battery and charger.

### Premium

The Premium-Line is equipped with:

- AMPSHARE Li-Ion battery GBA 18 V - 2.0 Ah
- AMPSHARE-charger GAL 18 V-40 with overload protection 220-240 V AC / 50-60 Hz (charging time: 80 % in approx. 24 min. / 100 % in approx. 35 min)



### Professional

The Professional-Line is equipped with:

- AMPSHARE Li-Ion battery GBA 18 V - 4.0 Ah
- AMPSHARE-charger GAL 18 V-40 with overload protection 220-240 V AC / 50-60 Hz (charging time: 80 % in approx. 48 min. / 100 % in approx. 65 min)
- shoulder strap



## Accu-Greaser 18 V suitable for:

- 400 g Pull-Off Cartridges DIN 1284 - Type S
- 400 g Lube-Shuttle® Cartridges - Type LS
- 500 g Screw-Cap Cartridges - Type SP
- 400 g Pull-Off and Lube-Shuttle® Cartridges - Type S-LS
- 400 g Pull-Off, Lube-Shuttle® and 500 g Screw-Cap Cartridges - Type S-LSP

**Description**

**Item No.**

**Accu-Greaser 18 V - S**

suitable for 400 g pull-off cartridge according to DIN 1284

with grease barrel for 400 g pull-off cartridges or 500 cc bulk grease

**Basic-S**

**34 240 08**

without AMPShare Li-Ion battery pack and AMPShare charger

**Premium-S**

**34 240 15**

with AMPShare Li-Ion battery pack GBA 18 V - 2.0 Ah and AMPShare charger GAL 18V-40

**Professional-S**

**34 240 22**

with AMPShare Li-Ion battery pack GBA 18 V - 4.0 Ah, AMPShare charger GAL 18V-40 and shoulder strap



**Accu-Greaser 18 V - LS**

suitable for 400 g Lube-Shuttle® cartridges

with cartridge protection tube for 400 g Lube-Shuttle® cartridges and plug to replace filling-/air venting nipple (vacuum principle)

**Basic-LS**

**34 241 07**

without AMPShare Li-Ion battery pack and AMPShare charger

**Premium-LS**

**34 241 14**

with AMPShare Li-Ion battery pack GBA 18 V - 2.0 Ah and AMPShare charger GAL 18V-40

**Professional-LS**

**34 241 21**

with AMPShare Li-Ion battery pack GBA 18 V - 4.0 Ah, AMPShare charger GAL 18V-40 and shoulder strap



**Accu-Greaser 18 V - SP**

suitable for 500 g screw-cap cartridges

with cartridge protection tube for 500 g screw-cap cartridges and plug to replace filling-/ air venting nipple (vacuum principle)

**Basic-SP**

**34 242 06**

without AMPShare Li-Ion battery pack and AMPShare charger

**Premium-SP**

**34 242 13**

with AMPShare Li-Ion battery pack GBA 18 V - 2.0 Ah and AMPShare charger GAL 18V-40

**Professional-SP**

**34 242 20**

with AMPShare Li-Ion battery pack GBA 18 V - 4.0 Ah, AMPShare charger GAL 18V-40 and shoulder strap



## Description

## Item No.

### Accu-Greaser 18 V - S-LS

for 400 g pull-off cartridges according to DIN 1284 and 400 g Lube-Shuttle® cartridges

with grease barrel for 400 g pull-off cartridges or 500 cc bulk grease, cartridge protection tube for 400 g Lube-Shuttle® cartridge and plug to replace filling-/air venting nipple

⚠ The filling and venting nipple must be replaced by the plug when using screw-cap cartridges (vacuum principle)!

#### Basic-S-LS

34 243 05

without AMPShare Li-Ion battery pack and AMPShare charger

#### Premium-S-LS

34 243 12

with AMPShare Li-Ion battery pack GBA 18 V - 2.0 Ah and AMPShare charger GAL 18V-40

#### Professional-S-LS

34 243 29

with AMPShare Li-Ion battery pack GBA 18 V - 4.0 Ah, AMPShare charger GAL 18V-40 and shoulder strap



### Accu-Greaser 18 V - S-LSP

for 400 g pull-off cartridges according to DIN 1284, 400 g Lube-Shuttle® cartridges and 500 g screw-cap cartridges

with grease barrel for 400 g pull-off cartridge or 500 cc bulk grease, cartridge protection tube for 400 g Lube-Shuttle® cartridge, adaptor for 500 g screw-neck cartridges and plug to replace filling-/air venting nipple

⚠ The filling and venting nipple must be replaced by the plug when using screw-cap cartridges (vacuum principle)!

#### Basic-S-LSP

34 244 04

without AMPShare Li-Ion battery pack and AMPShare charger

#### Premium-S-LSP

34 244 11

with AMPShare Li-Ion battery pack GBA 18 V - 2.0 Ah and AMPShare charger GAL 18V-40

#### Professional-S-LSP

34 244 28

with AMPShare Li-Ion battery pack GBA 18 V - 4.0 Ah, AMPShare charger GAL 18V-40 and shoulder strap

